

### » references

### FITNESS, SPORTS AND COMMERCIAL REFERENCES

FROM ALL OVER THE WORLD





>20 YEARS EXPERIENCE. WORLD-WIDE.
RELIABLE SUPPLIER.



All Inclusive Fitness, Germany

Dubai Mall Gym, UAE

Lyft Gym, Japan



Olympia Fitness, Romania

clever fit, Switzerland

Al Fitness, Germany



The Gym, UK

Empire Fitness, Australia

Easy Gym, UK



fivestar Fitness, Serbia

Chelsea FC Gym, UK

Ajax Amsterdam Gym, Netherlands

### STYLE. GERMANY.

GYM.

Location	Germany, Duisburg
Area	ca. 400 m²
Purpose	Fuctional training, strength and freeweights
Installer	VIJO Plan GmbH

Material	SPORTEC® style: Polyurethane-bonded recycling tyre rubber granules with a surface layer made of SPORTEC® color
Dimensions	1,000 x 500 x 30 mm
Colours	black with grey EPDM colour granules
Other	<ul> <li>easy installation with pre-installed connector pins</li> <li>edge and corner ramps added to increase inclusion</li> </ul>





SPORTEC® style had been supplied to many clubs of one of Germanys fastest growing fitness chains - Al Fitness. Due to larger functional training and free weight areas, our product had been part of their exceptional growth within the last few years.

Easy installation, good subfloor protection as well as outstanding impact-sound reducing properties - all inclusive in one

Tiles with 70 mm are also available and are part of our Gymcoustic series. Flooring solutions with impact sound reductions of up to 42 dB are possible.





GIGA. ROMANIA.

GYM.

Location	Romania, Sfântu Gheorghe
Area	240 m²
Purpose	Different applications in gym
Supplier & installer	Sonerg Montaj SRL

Material	Polyurethane-bonded recycling tyre rubber granules with a surface layer made of SPORTEC® color 15
Dimensions	6, 8, 10 mm thickness, rolls
Colours	black with bright blue or bright green EPDM colour granules
Fire behaviour	E <sub>π</sub>



#### SPORTEC® giga: Powerful design & Resilient flooring

Known as "the best equipped public gym of the city" we are delighted that SPORTEC® giga has been chosen as their gym flooring throughtout the facility. The rubber flooring itself is a rugged, easy-to-clean and water resistent floor covering material for use in fitness and gym facilities, retail outlets, exhibition halls, equipment storage rooms and ice sports stadiums. SPORTEC® giga contains specially developed, extra-large colour granules for mesmerising colour effects.

SPORTEC® giga is an ideal flooring for functional training as well as cardio and plate-loaded areas.







HIGH BALL REBOUND. PLAYER COMFORT.
WEATHER RESISTENT.



Dubai, UAE

ESF school, Hong Kong

Multisports, Madagascar



Basketball, Greece

Tennis Club, Austria

Basketball, Hong Kong



Running Track, Taiwan

The Venue, Qatar

Nishikokubunji, Japan



Olympic Museum, Switzerland

Padel Court, Netherlands

Football Pitch, Germany

8

## UNI VERSA. GREECE. MULTI-PURPOSE SPORTS AREA.

Location	Greece, Thessaloniki
Area	1,800 m²
Purpose	Local school area for multisports including basketball as well as football
Designer	Samara Xenia
Local supplier	H. Rossopoulos & Co. E.E.

Material	SPORTEC® UNI versa - coarse granule structure with 100% coloured EPDM-granules
Dimensions	4 x 1,250 x 30,000 mm
Colours	green, blue, red
Fire behaviour	C <sub>ft</sub> -s1
Other	<ul> <li>Available as sandwich system for further force reduction</li> <li>Alternative solution to wetpoured rubber</li> </ul>



#### SPORTEC® UNI versa: ideal floor covering for outdoor activities

In 2022, a multifunctional schoolyard was renovated in Thessaloniki. On the part of the architects, a high-quality product was the basic prerequisite to enable long-term regular operation. The physical properties of rubber, especially its elasticity, ensure a pleasant workout that is easy on the joints, making it the ideal floor covering for sports activities.

The installation of SPORTEC® UNI Versa requires a clean, even and firm subfloor, e.g. screed or ashphalt. Bonding is to be carried out with 2K PU adhesive and thus ensures a permanent water barrier between the subfloor and the floor covering.

SPORTEC® UNI versa sandwich is a combination of our sophisticated elastic layer SPORTEC® standard 2.0 and our proven floor covering SPORTEC® UNI versa. This combination prevents joint damage and injuries and is therefore particularly suitable for use in school sports, leisure and multi-purpose facilities. Like the top layer, the elastic layer is supplied in rolls. During installation, the coverings are laid separately from each other. First, the elastic layer is glued to the subfloor; after the adhesive has hardened, the top covering is glued perpendicularto the elastic layer.





### STANDARD 2.0. UK.

### **GYM & SPORTS AREAS.**

Location	Manchester, Deansgate Square, UK
Area	700 m² SPORTEC® standard 300 m² SPORTEC® style
Purpose	Combining resilient sports flooring and acoustic performance
Designer	Renaker Build Ltd
Local supplier	TVS Gym Flooring

Material	SPORTEC® standard (below PU) SPORTEC® style (free weight area)
Dimensions	SPORTEC® standard: SPORTEC® style: 1,000 x 500 x 30 mm
Colours	SPORTEC® style purcolor grey PU in sports hall: Bordeaux red and Pastel pink
Other	Acoustic Consultant: Fisher Acoustics




### Deansgate Square, Manchester

Deansgate Square's tallest tower reaches 64-storeys and the development houses more than 1,500 stylish apartments and penthouses. Designed to be used for a variety of fitness and sports activities, the spacious sports hall and adjoining fitness studios needed flooring that would be both shock-absorbent and offer the perfect grip rating for excellent aerobic performance and user comfort.

A seamless PU flooring system using the SPORTEC® standard 2.0 elastic layer, was chosen as the perfect solution with all the various colours custom produced to match the designer's vision for the new facilities.

Within the studios, heavy duty SPORTEC® style tiles were installed in the free weights zone to provide maximum impact resistance.

The project required specialist acoustic and sports flooring capable of isolating residents from any unwanted noise that might be transmitted during the use of health and fitness facilities. SPORTEC® was selected because of its dual ability to address acoustic requirements and provide quality sports flooring solutions.







**DESIGN OPTIONS.** ANTI-SLIP. FIRE PROTECTION.



Sports Shop, Netherlands

Tommy Hilfiger, Germany

Sport Shop, Norway



Galeries Lafayette, France

Fashion Shop, Spain

Intersport, Denmark



Office, Czech Republic

Office, Germany

Office, Japan



School, Germany

School, Hong Kong

Hotel, Qatar

## UNI CLASSIC. GERMANY. SHOP.

Location	Germany, Dusseldorf
Area	105 m²
Purpose	Shop Flooring Tommy Hilfiger
Designer	Tommy Hilfiger Architects

Material	SPORTEC® UNI classic
Dimensions	4 x 1,250 x 15,000 mm
Colours	blue
Fire behaviour	C <sub>n</sub> -s1
Other	colour of product matches CI colour of brand pretty close



#### **Brand store with SPORTEC® flooring**

Natural properties of rubber flooring such as great walking comfort or step-sound reduction make SPORTEC® products an exciting choice for retail store concepts.

Looking for an innovative flooring solution for one of their upcoming stores, Tommy Hilfiger Germany contacted us to discuss what possibilities we have to offer a flooring solution that meets their design requirements for the "Tommy Sports" section of the store as well as the technical needs of the installation site. To be located within a shopping centre, Tommy were looking for an ergonomic floor which reduced noise, met the local fire safety requirements and matched their design colours. SPORTEC

UNI Classic was seen as the perfect solution for the main area with the finishing touches matching the Tommy Hilfiger red and white stripes, being added with long lasting PU based paint. The install, including the varnish finish was completed within 2 days and sets off the sportswear area perfectly.

This project proves rubber flooring to be a creative alternative to all exisiting products on the market.

With hundreds of walk in customers per day, the varnished UNI Classic is perfectly adapted for this type of area with its bright colours bringing that extra special finish to the store.





# UNI VERSA. UK. OFFICE.

Location	London, UK
Area	200 m²
Purpose	athletic track design within office
Local supplier	TVS Sports Group

Material	SPORTEC® UNI versa
Dimensions	4 x 1,250 x 3,000 mm
Colours	red
Fire behaviour	C <sub>ft</sub> -s1




#### **SPORTEC® UNI versa for unique office design**

This project was tasked with creating a functional, custom-shaped athletics track running through a busy 2nd floor office in the heart of the Olympic Park. The track, measuring over 200m in length, not only had to have the aesthetics and performance of an athletics facility, but also had to be resilient enough to deal with the day-to-day wear expected in an office environment.

SPORTEC® UNI versa is a durable flooring suitable for various types of applications. It is the ideal surface for multipurpose sports areas due to its high resilience and excellent durability against mechanical impact. SPORTEC® UNI versa for sports

applications can be used with or without elastic underlay. In case of high shock absorbance required SPORTEC® standard can be used as elastic underlay. The combination of SPORTEC® UNI versa and SPORTEC® standard 2.0 is offered as SPORTEC® UNI versa sandwich.



## UNI CLASSIC / COLOR 0. GERMANY. OFFICE.

Location	iCampus Munich, Germany
Area	3,500 m²
Purpose	flooring for office building
Installer	Schmid Bodenbeläge GmbH
Designer	Henn, Munich

Material	SPORTEC® UNI classic / color 0
Dimensions	4 x 1,250 x 15,000 / 4 x 1,500 x 30,000 mm
Colours	light grey and black
Fire behaviour	C <sub>ft</sub> -s1 / E <sub>ft</sub>




#### SPORTEC® UNI classic & color 0 as rugged design flooring

Many big names are involved in the "House of Communication" project in Munich. Not only the owner of the property, R&S Immobilienmanagement GmbH, which is a subsidiary of the globally active technology group Rohde & Schwarz, but also the agency Service Plan Group, the tenant of this property in Munich's Werksviertel, is world-famous.

Europe's largest owner-managed media company has gathered a large number of about 40 agencies under one roof under the name "House of Communication" to unite the brands of this world into one "Best Brand". Munich has thus become part of the Service Plan Network, which has crea-

ted "House of Communication" branches all over the world. The interior architecture was developed by the architectural firm Henn from Munich. Clear lines and a monochrome colour palette in black, white and grey form the unifying basis of the design concept across all areas and agencies. Statement-pieces (eye-catching objects) in bright colours and with reflective surfaces complement the concept to create a new visual identity for Serviceplan.

High quality SPORTEC® flooring is represented in this concept with approx.  $3,500 \text{ m}^2$ .







**WEATHERPROOF.** NON-SLIP. PROTECTION FOR SKI SHOES.



Schöneben Bahn, Rescia, Italy



Hahnenkamm, Kitznühel, Austria

Austria

Gerlos, Austria



Skishop Bründl, Mayerhofen, Austria



Austria Israel Slovakia

22

# MOUNTAIN. ITALY. SKI RESORT.

Location	Resia, Italy
Purpose	Protection of ski and ski shoes, weather resistant anti-slip flooring

Material	SPORTEC® mountain: Polyuret- hane-bonded recycling tyre rubber granules and a reinforcing mash at the bottom, and a surface made of EPDM granules bonded with polyurethane
Dimensions	500 x 500 x 30 mm
Colours	dark grey
Fire behaviour	C <sub>ft</sub> -s1 (B1)
Other	<ul><li>easy installation with pre-installed connector pins</li><li>can also be installed on metal grids</li></ul>




#### SPORTEC® mountain - Ideal solution for ski resorts, ski lifts and ski-rental shops

The Schöneben ski area has a total of 65 kilometres of pistes and 11 lifts for passionate skiers and snowboarders. SPORTEC mountain slabs were laid on the valley, intermediate and top stations of the 5,680 m long Höllentalbahn.

SPORTEC® mountain is the perfect solution for ski resorts, ski lifts and shops for ski rental. Its high elasticity makes it ideal for walking on with ski boots and offers a high walking comfort, whilst also being suitable for trolleys and service carts. The product also offers high slip resistance and attractive colours. Due to its high-quality EPDM top layer SPORTEC® mountain meets the requirements of fire classification  $C_{\rm fl}$ -s1.





# PURCOLOR. AUSTRIA. SKI SHOP.

Location	Austria, Mayerhofen
Area	2.175 m²
Purpose	scratch resistant, elastic design flooring
Installer	Georg Mayerhofer GmbH
Local supplier	Georg Traugott GmbH

Material	100% EPDM granules bonded with polyurethane elastomer
Dimensions	8 x 1,250 x 15,000 mm
Colours	SPORTEC® variant greyscale
Fire behaviour	C <sub>ft</sub> -s1 (B1)
Other	elastic, anti-slip floor that is not damaged by walking with ski shoes



#### SPORTEC® purcolor as an elastic, scratch resistant and anti-slip flooring

One of the most important things to consider when fitting a ski shop is the comfort and safety of daily walk-in customers. By chosing SPORTEC® purcolor, the owner of the Intersport store in Mayerhofen had made an ideal choice. Rubber flooring offer great slip resistance (R10) and are also very pleasent to walk on

An easier maintenence cleaning can be achieved by using an additional sealing coat on top of our rubber flooring.







### SUSTAINABILITY

Corporate Carbon Footprint, Product Carbon Footprint, Energy Management, Social and economic sustainability at KRAIBURG Relastec



### CORPORATE CULTURE

Defined values, social norms and guidelines, for common action and cooperation inside and outside KRAIBURG Relastec.

Strong decision-making powers

We ensure speed in process handling, faster



#### Recycling of up to 60,000 t material

Every year, we process and recycle up to 60,000 tons of old tyres, closed-cell rubber and rubber production scrap.



#### Reduction of CO<sub>2</sub> emissions

By using recycled rubber granulate, we save more than 130,000 tonnes of CO<sub>2</sub> emissions per year compared to virgin rubber.



#### Corporate **Carbon Footprint**

The CCF was developed in accordance with the Greenhouse Gas Protocol audited.



### Equal opportunities

We stand for equal opportunity, diversity, inclusion and religious diversity.



#### Social responsibility

Fair pay, collective bargaining, further training, career development, work-life integration.



#### Respect

We are honest, reliable, respectful and trustworthy towards our colleagues and partners.



### Responsible for our actions

We take responsibility for all decisions and results. Error acceptance is firmly anchored in our culture.

technology optimisations and lean processes.



#### Transparency

We practice open, transparent cooperation both inside and outside the company.



#### **Product Carbon Footprint**

The PCF is calculated in accordance with ISO 14067 and ISO 14040/44 audited.



#### **Energy management** according to ISO 50001

Our energy management system is identified according to ISO 50001. Energy-relevant topics are taken into account in all processes of the organisation.



#### Voluntary rating

The ecovadis rating is an evaluation of companies with regard to CSR topics. This includes ethical aspects, sustainable procurement, the environment and ecological sustainability.



#### Personal contact persons

We do not hide behind support hotlines and contact forms. With us, you have personal, competent contact persons.



#### Product quality

Our products meet the highest quality standards. They are durable, a perfect fit and made from high-quality raw materials.



We continuously develop new products according to the requirements of our customers and the market.



#### Easy complaint management

WHAT SETS US APART

Internationality

Transparent and optimised processes ensure rapid processing.

With an export quota of over 50%, we have alrea-

dy exported our products to over 100 countries.



#### Flexibility with customer requirements

We offer our partners customised options for packaging, labelling and delivery, packaging, labelling and delivery.



#### Long-term relationships

We maintain long-term relationships with our customers and suppliers based on mutual respect and fairness.



#### Marketing support

We provide you with the best possible support in the form of images or in the design of your documents.



#### Member of NEW LIFE initiative

The declared aim of NEW LIFE is to demonstrate the advantages of recycled products from End-of-Life Tires (ELT) to the media, politicians and the general public and to motivate them to act sustainably. More information: www.initiative-new-life.de/en



#### Social sustainability

Acting in accordance with our values such as equal opportunities, social responsibility, respectful treatment and transparency are the foundations for social sustainability in practice.



#### **Economic sustainability**

As a family business, KRAIBURG Holding pursues a long-term strategy. Profits generated are used to a significant extent to make our holistic business model ever more efficient and future-proof.



#### Innovation and product design

### **MORE FROM YOUR FLOOR**



#### Sports flooring and elastic layers

made from rubber granules

KRAIBURG Relastec GmbH & Co.KG Fuchsberger Straße 4 · D-29410 Salzwedel

#### Sales:

Tel. +49 (0) 8683 701 -340 Fax +49 (0) 8683 701 -4 340 sportec@kraiburg-relastec.com www.sportec-flooring.com

No liability accepted for errors or omissions. Subject to changes without prior notice. © KRAIBURG Relastec GmbH & Co. KG 2024

















Download the latest version of this brochure as PDF.