



KOMFOTEX®

The horse floor.

The flooring trusted by horse lovers and experts.



The elastic slabs from KRAIBURG KOMFORTEX® are an ideal solution for certain areas around a horse stable. They impress with their excellent slip resistance and sure-footedness, offering optimal comfort for horses while also helping to protect their joints. The high-quality products fit perfectly into our overall portfolio and we can be sure that our customers are getting only the best. We value KRAIBURG very highly as a reliable partner!

Roland Hau
Dealer, HAU GmbH & Co. KG



I am very happy to have found a sustainable solution that protects and supports my horses in their daily lives. Since I fitted out the stalls with KOMFORTEX® products, my mare has finally started lying down to sleep again and no longer has any abrasions. This convinced me of the anti-slip effect and I also laid the rubber flooring in the concrete stable walkways. My sport horse also became much more sure-footed with four irons and I no longer had to worry about him slipping and injuring himself!


Alina Konradt
Former professional rider



We considered how we could best pave our paddocks. KOMFORTEX® offers elastic pavers made from rubber that are totally beneficial for horses as they are soft, easy on the joints and reduce noise. Especially near residential areas, the noise of horse hooves is disadvantageous. It is also very easy to clean. We are so impressed with the KOMFORTEX® elastic pavers that we laid the entire outdoor area with it.

Malte Raddatz
Operator of the Bruck equestrian centre and the vaulting club (Garching, DE)

Better horse health for more performance and well-being



Joint protection through
elasticity




Abrasion-resistant
surface



No deformation due to
climatic influences



High
slip resistance




Chemical-resistant
material



PAH-free



DLG-tested
quality



Water permeability &
drainage




Sustainable
materials


Details at www.komfortex.de




Horse Floors



KOMFORTEX® Elastic Slab




Area of application	Stable aisles, open and free-range stalls, paddocks, washing areas
Special feature	All-round product
Material	Recycled rubber granulate. Binding agent: MDI polyurethane.
Dimensions	500 / 1,000 x 500 x 40 mm 500 x 500 x 30 mm



KOMFORTEX® Decor




Area of application	Stable aisles, paddocks, tie-up and washing areas
Special feature	Cobblestone look
Material	Recycled rubber granulate. Binding agent: MDI polyurethane.
Dimensions	500 x 500 x 40 mm




KOMFORTEX® Elastic Pavers




Area of application	Paddocks, horse walkers, open/free-range stalls, tie-up/washing areas
Special feature	Individual cobblestones
Material	Recycled rubber granulate. Binding agent: MDI polyurethane.
Dimensions	Full: 200 x 165 x 43 mm Half: 100 x 165 x 43 mm Starter: 200 x 140 x 43 mm



KOMFORTEX® H-Paver Slab




Area of application	Stable aisles, open and free-range stalls, paddocks, washing areas
Special feature	Cobblestone look
Material	Recycled rubber granulate. Binding agent: MDI polyurethane.
Dimensions	500 x 500 x 40 mm




KOMFORTEX® Safe



Area of application	Footpaths, open and free-range stalls with steeper gradients
Special feature	with hammer mark texturing
Material	Recycled rubber granulate. Binding agent: MDI polyurethane.
Dimensions	500 x 500 x 40 mm




KOMFORTEX® Floor Protection




Area of application	Stable lane
Special feature	Rolls
Material	Recycled rubber granulate with EPDM colour granules, binder: MDI polyurethane
Dimensions	1,500 x 10,000 x 12 mm




Borders




KOMFORTEX® Edge and corner profiles




Area of application	Borders around rubber flooring on concrete or asphalt subfloors
Special feature	to avoid tripping hazards; must be glued or dowelled
Material	Recycled rubber granulate. Binding agent: MDI polyurethane.
Dimensions	Edge profile: 1,000 x 250 x 40/10 mm 1,000 x 250 x 30/10 mm Corner profile: 1,000 x 250 x 40/10 mm 1,000 x 250 x 30/10 mm




KOMFORTEX® Softborder




Area of application	Borders around rubber floor coverings on unpaved ground
Special feature	must be embedded in concrete
Material	Recycled rubber granulate. Binding agent: MDI polyurethane.
Dimensions	1,000 x 250 x 50 mm




KOMFORTEX® Riding arena border



Area of application	Protection for riders and horses from the hard concrete foundations around the riding arena
Special feature	Screw anchoring
Material	Recycled rubber granulate. Binding agent: MDI polyurethane.
Dimensions	149 x 1,000 x 80 mm




Can be cut to any length or angle!





Wall Protection



KOMFORTEX® Protection




Area of application Wall protection in horse stables

Special feature Available in rolls or sheets

Material Recycled rubber granulate with EPDM colour granules
Binder: MDI polyurethane

Dimensions 1,500 x 15,000 x 8 mm
1,500 x 12,000 x 10 mm
1,500 x 10,000 x 12 mm
Also available in sheets measuring 1,500 x 1,000 x 10 mm.

Installation



KOMFORTEX® Variant




Area of application Wall protection in horse stables


Special feature Available in rolls or sheets

Material Recycled rubber granulate with colour granules;
Binder: MDI polyurethane

Dimensions 1,500 x 15,000 x 8 mm
1,500 x 12,000 x 10 mm
1,500 x 10,000 x 12 mm
Also available in sheets measuring 1,500 x 1,000 x 10 mm.



KOMFORTEX® Protection premium




Area of application Wall protection in horse stables

Special feature Multilayer, easy-to-install plate format

Material **Surface:** fine tyre-recycling rubber granulate and EPDM colour granulate bonded with polyurethane
Core board: polystyrene hard foam, coated on both sides with polymer-modified mortar and reinforced with textile glass mesh

Dimensions 1,250 x 600 x 18 mm

Installation



Case Study: Riedmühle Stud Farm, Butzbach


KOMFORTEX® Elastic Slab | KOMFORTEX® Softborder

The stud farm at Riedmühle near Frankfurt am Main was founded as early as 1721 and is fully dedicated to horse breeding and training for both horse and rider.

In particular, the premium segment of international dressage riding trains with professional trainers and under the best training conditions on the technically outstandingly equipped facilities.

KOMFORTEX® was able to equip the riding trails with elastic and joint-friendly elastic slabs.

KOMFORTEX® Softborder serves as a fastening and border between the ground and the riding trails.



Case Study: Al Shaqab, Qatar

KOMFORTEX® Elastic Pavers | KOMFORTEX® Protection

Al Shaqab, Qatar's state-of-the-art equestrian centre, is located in Education City and has been a member of Qatar Foundation since 2004. Sheikh Hamad bin Khalifa Al Thani established Al Shaqab in 1992 to uphold the tradition of Qatar's Arabian horses and to preserve and continue the Arabian horse breed.

In honour of his ancestor, the Emir built the stud farm for Arabian horses at the site of the former Battle of Al Shaqab, where almost a century earlier, in 1893, the Bedouins fought a decisive battle that led to Qatar's independence. Arabian horses played a significant role in the battle and were a central part of the regional culture – which is why the preservation of these animals and their tradition is of the utmost importance.

Al Shaqab is home to more than 700 Arabian horses and has now developed into a diverse equestrian centre. In addition to breeding Arabian

horses, the centre teaches children the art of horsemanship and the values of equestrian sports. It also trains riders and horses for endurance races. Al Shaqab has produced several world champion stallions. Their value as studs is proven as their offspring continue to win major Arabian horse championships around the world.

Covering an area of over 980,000 m², Al Shaqab is characterised by its unique horseshoe-shaped architectural design and is known worldwide as Qatar's legendary equestrian destination.

KOMFORTEX® was used to equip numerous walkways with elastic paving. In addition, external walls were fitted with the KOMFORTEX® protection product to provide kick protection. This effectively protects both the horses and the walls. The product offers a pleasant, timeless design.



Case Study: Bruck Equestrian Centre, Garching

KOMFORTEX® Elastic Pavers

The Bruck equestrian centre in Garching, located south-east of Munich, offers young equestrians – in particular vaulting groups – the best training conditions. It has a beautiful, light-flooded vaulting hall, 10 horse boxes with paddocks and spacious meadows. There are even heated training rooms in the facility.

The owners of the equestrian centre, Malte Radatz and Cornelia Hampel, chose KOMFORTEX® Elastic Pavers for the flooring due to its high elasticity, easy installation even on uneven ground and the sustainable materials used.


The product was laid in all the paddocks, the washing area and on the paths to the riding area and the horse walker. The operators are thrilled every time they see how the high elasticity, which helps to protect the horses' joints, and the high slip resistance contribute to this. Even in winter, the slight elasticity means that ice breaks through when you step on it.

The high water permeability and the associated quick drying after rain showers is a big plus for KOMFORTEX® horse flooring. The owner also mentions the noise-reducing properties compared to concrete as an extremely positive feature.




Colours and designs in detail


KOMFORTEX® Elastic Slab




KOMFORTEX® H-Paver Slab




KOMFORTEX® Decor



KOMFORTEX® Safe



KOMFORTEX® Edge and corner profiles




KOMFORTEX® Softborder




KOMFORTEX® Elastic Pavers



KOMFORTEX® Floor Protection / Protection / Protection premium



KOMFORTEX® Variant





SUSTAINABILITY

Corporate Carbon Footprint, Product Carbon Footprint, Energy Management, Social and economic sustainability at KRAIBURG Relastec



Recycling of up to 60,000 t material

Every year, we process and recycle up to 60,000 tons of old tyres, closed-cell rubber and rubber production scrap.



Reduction of CO₂ emissions

By using recycled rubber granulate, we save more than 130,000 tonnes of CO₂ emissions per year compared to virgin rubber.



Corporate Carbon Footprint

The CCF was developed in accordance with the Greenhouse Gas Protocol audited.



Product Carbon Footprint

The PCF is calculated in accordance with ISO 14067 and ISO 14040/44 audited.



Energy management according to ISO 50001

Our energy management system is identified according to ISO 50001. Energy-relevant topics are taken into account in all processes of the organisation.



Voluntary rating

The ecovadis rating is an evaluation of companies with regard to CSR topics. This includes ethical aspects, sustainable procurement, the environment and ecological sustainability.



Member of NEW LIFE initiative

The declared aim of NEW LIFE is to demonstrate the advantages of recycled products from End-of-Life Tyres (ELT) to the media, politicians and the general public and to motivate them to act sustainably.

More information:
www.initiative-new-life.de/en



Social sustainability

Acting in accordance with our values such as equal opportunities, social responsibility, respectful treatment and transparency are the foundations for social sustainability in practice.



Economic sustainability

As a family business, KRAIBURG Holding pursues a long-term strategy. Profits generated are used to a significant extent to make our holistic business model ever more efficient and future-proof.



CORPORATE CULTURE

Defined values, social norms and guidelines, for common action and cooperation inside and outside KRAIBURG Relastec.



Equal opportunities

We stand for equal opportunity, diversity, inclusion and religious diversity.



Social responsibility

Fair pay, collective bargaining, further training, career development, work-life integration.



Respect

We are honest, reliable, respectful and trustworthy towards our colleagues and partners.



Strong decision-making powers

We ensure speed in process handling, faster technology optimisations and lean processes.



Responsible for our actions

We take responsibility for all decisions and results. Error acceptance is firmly anchored in our culture.



Transparency

We practice open, transparent cooperation both inside and outside the company.



WHAT SETS US APART



Internationality

With an export quota of over 50%, we have already exported our products to over 100 countries.



Easy complaint management

Transparent and optimised processes ensure rapid processing.



Flexibility with customer requirements

We offer our partners customised options for packaging, labelling and delivery, packaging, labelling and delivery.



Long-term relationships

We maintain long-term relationships with our customers and suppliers based on mutual respect and fairness.



Marketing support

We provide you with the best possible support in the form of images or in the design of your documents.



Personal contact persons

We do not hide behind support hotlines and contact forms. With us, you have personal, competent contact persons.



Product quality

Our products meet the highest quality standards. They are durable, a perfect fit and made from high-quality raw materials.



Innovation and product design

We continuously develop new products according to the requirements of our customers and the market.



Elastic, water-permeable surfacing systems for riding facilities and horse farms
made of recycled rubber granules

KRAIBURG Relastec GmbH & Co.KG
Fuchsberger Straße 4 · D-29410 Salzwedel

Sales:
Tel. +49 (0) 8683 701 -199 or -145 or -128
komfortex@kraiburg-relastec.com
www.komfortex.de

All information provided is subject to change.
© KRAIBURG Relastec GmbH & Co. KG 2025

